



GASKETS THROUGHOUT
 MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY TO BE .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT TO BE .002 T.I.R.
 ALIGN BASE TO C-FACE MOUNTING HOLES WITHIN ±1/16"

(2) Ø1.13 CONDUIT HOLE (PLUGGED)

DASH NO.	"C"	"AD"
1100	17.71	4.75
1150	18.21	5.25
1200	18.71	5.75
1250	19.21	6.25
1300	19.71	6.75
1350	20.21	7.25
1400	20.71	7.75

REVISION		BY & DATE	CHK	ANG	FINISH	ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN	RDW 6/22/05			
02	ADDED: WARNING DECAL - LIFTING LUG & WARNING DECAL - WITH/OUT PROTECTOR; REMOVED: DECAL - WIRING INSTRUCTION, NAMEPLATE -was- TV SCREEN STYLE(004142.01)	KVN 4/19/2010	.XX	±.1	TITLE	OUTLINE - 210TC FRAME TEFC - RIGID "C"		APPD	KJH 6/22/05			
01	ADDED "1100" TO CHART	RDW 7/25/05	.XXX	±.005	MAT'L			SCALE	3=8			
NO.			.XXXX	±.0005				REF	140659			
			ANG	±1/2'				FMF	140659			
			CHK	ANG	±1/2'			PREV				
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT						RFP	6/22/05	CAD FILE	037630	SIZE	DRAWING NO.	REV.
						DIST	NLV			B	037630	02