



- NOTES:
 1. BOX CAN BE ROTATED IN 90° STEPS
 2. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR

DASH	FRAME	B	C	2F	BS	AG
1362	324JP	13.00	29.12	10.50	5.25	21.00
1512	326JP	14.50	30.62	12.00	6.00	22.50

				TOLERANCES UNLESS SPECIFIED			ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN HLB 11-22-2002		
				DEC.	INCHES			CHK	ML	11-27-2002
				.X	±.1	TITLE OUTLINE - DR.PR - CAST IRON - TDP		APPD TB 11-27-2002		
				.XX	±.03	320JP FR. - BB - TS D.E.V. - STL C'BOX		SCALE 1=5		
				.XXX	±.005	REF		FMF		
1	NEW DRAWING	CN 35892	HLB 11-27-2002	TB	.XXXX	±.0005	MATL	PREV		
NO.	REVISION		BY & DATE	CHK	ANG	±730°	FINISH	RFP		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP	CAD FILE ss200378le		SIZE	DRAWING NO.	PAGE OF	REV.
				DIST	LB-LE	B		SS200378LE	1	